

## Toilet Steps

**Make**

**Category**

Discontinued

**Model**

**Desc** Discontinued toilet Step with doubled rails



**Specs**

Rail height is 63 cm  
Width between rails is 40 cm  
Step height is 15.5 cm  
Step length is 30 cm

**Considerations**

## Toilet Steps

**Make**

**Category**

Discontinued

**Model**

**Desc** Discontinued Toilet Step and doubled rail



**Specs**

Rail height 70 cm  
Width between rails is 40 cm  
Step height is 18 cm  
step length is 25 cm

**Considerations**

## Corner Chairs

**Make**

**Category**

Discontinued

**Model**

**Desc** Discontinued High back corner chair with tray



**Specs**

**Considerations**

# Corner Chairs


**Make**

**Category**

Discontinued

**Model**

**Desc** Discontinued high back corner chair



**Specs**

**Considerations**

# Adjustable Kelly Chair

**Make**

**Category**

Discontinued

**Model**

**Desc** Discontinued Kelly Chair



**Specs**

Preschool  
No arm rest  
Pommel

Catalogue Number 88 0439 01 02

**Considerations**

# Adjustable Kelly Chair

**Make**

**Category**

Discontinued

**Model**

**Desc** Discontinued Kelly Chair



**Specs**

Primary  
No arm rest  
Glides

**Considerations**

# Beach Wheel Chair

## Category

Mobility Aids

## Make

## Model

**Desc** The beach wheel chair is designed to be used on soft terrain. e.g. the beach, snow, and shallow water. It enables students to participate in outside activities that would otherwise be inaccessible.



Available for short term loan only - Contact Deb McGuiggan

**Specs** Adult size, but can be used by smaller students.  
Seat height 48cm.

## Considerations

The beach wheel chair is only suitable for short term activities as described above  
- student needs to have good sitting balance to be able to use the chair safely.  
A lap belt is on the chair.  
if the student requires assistance to get into the chair, do so as per physiotherapist advice.

# Portable Ramps

## Category

Mobility Aids

Classroom Access

## Make

## Model

DECPAC

**Desc** The portable ramps are a light weight fibreglass laminate ramp. The ramps are easy to assemble as they simply unfold. The ramps have a non slip all weather surface and non slip top and base rubber pads which provide the highest level of safety  
SHORT TERM LOAN ONLY



**Specs** The portable ramps come in five different sizes.  
1.2m Max. Height 300mm  
1.35m Max. Height 340mm  
1.6m Max. Height 412mm  
1.85 Max. Height 465mm  
2 m Max. Height 500mm

## Considerations

Should be used with supervision at all times.  
To be prescribed by a therapist to ensure gradient/ length etc. is appropriate for user's needs

# Wheel Chair

## Category

Mobility Aids

## Make

## Model

**Desc** Wheelchairs are available for short term loan only.  
Wheelchairs are manual, have vinyl sling seat and back; some have a lap belt.  
Adult sized chairs only available.



## Specs

### Considerations

For student who has limited outdoor/community mobility skills. Intended for use within school grounds and on school excursions. Safe transport of equipment needs to be considered when on excursions.  
The chair needs to be assessed by a therapist to ensure the student is safe using this chair.  
Relevant staff should be trained by a therapist in using this equipment.  
If a wheelchair is required for more than outdoor mobility requirements or long-term the student should be allocated their own wheelchair –this would need to be arranged through their physiotherapist.

SHORT TERM LOANS ONLY

# Adjustable Kelly Chair

## Category

Seating

**Make** Disability Equipment Solutions

## Model

**Desc** A height adjustable steel frame chair with a range of accessories and add-ons. The Chair is available in 4 different sizes , preschool, primary and adolescent and Youth.



Options: pommel, H harness, pelvic strap, removable tray , adjustable foot plate and head rest

## Specs

For specifications see website:  
[www.ebility.com/des/catalogue.php](http://www.ebility.com/des/catalogue.php)

### Considerations

Assist with optimal positioning of student who has moderate postural control  
Provides opportunity for student to sit with peers at desk  
Castors add to width and depth of base support available for student requiring greater support– pelvic belt, H-harness, lateral pads and headrest (\*\*H harness provides only minimal support) If prescribing chest harness/strap, a pelvic strap must also be provided and information provided on the “Safe Use of Harnesses”  
Equipment should be prescribed by a therapist to ensure suitability.  
Relevant staff should be trained by a therapist in using this equipment.

# CAP Adjustable Chair

**Make** CAP Educational

**Category**  
Seating

**Model**

**Desc** This adjustable steel frame chair is available in three sizes: Preschool, Primary and Adolescent.  
Customising options include: adjustable armrest, pelvic Strap, Shoulder Strap, Head Rest ,Slides, Foot Plate, Pommel Tray and Castors



**Specs** For specifications see the CAP website:

[www.capedu.com.au](http://www.capedu.com.au)

**Considerations**

For students who require greater support than the generic school chair provides. Provides opportunity for student to sit with peers at desk.  
Postural supports available - H-harness provides only minimal support. Alternative harness may need to be considered. If prescribing chest harness/strap, a pelvic strap must also be provided and information provided on the "Safe Use of Harnesses"  
Equipment should be prescribed by a therapist to ensure suitability.  
Relevant staff should be trained by a therapist in using this equipment.

## Corner Chairs

**Make** Disability Equipment Solutions(Novitatech)

**Category**  
Seating

**Model** CHR3 & CHR4 Corner Chair

**Desc** The seat, backrest, and headrest are separate entities which can slide and be locked at any height along a single steel column. Extensions can be supplied to allow a variety of seating possibilities.



**Specs** See website for specifications:

<http://web.ebility.com/des/catalogue/php>

**Considerations**

Supported floor positioning of student with poor to moderate sitting balance. Provides safe access to floor activities –tray often required with seat to assist with participation in activities.  
System that allows the seat, back and headrest to exist as separate entities, which can slide and be locked at any height on the supporting steel column, to provide support where required. If head rest sits low need to be aware that upright column is still exposed which needs to be addressed as can be a safety risk.  
Column extension also allows the chair to be used in a variety of seating configurations, from floor sitter to raised seat (useful for students who have tight hamstrings which prevent comfortable and optimal positioning in long sitting).  
If prescribing chest harness/strap, a pelvic strap must also be provided and information provided on the "Safe Use of Harnesses"  
Equipment should be prescribed by a therapist to ensure suitability.

# Deluxe Floor Sitter

**Make** FAS Therapeutic Equipment Pty Ltd

**Category**  
Seating

**Model**

**Desc** The Deluxe Floor sitter is made of high-density foam with a special flexible coating. It is durable, lightweight and provides firm, yet soft support. Two shoulder straps are standard on the deluxe floor sitter with a height adjustment of 10cm.



ONLY AVAILABLE FOR PRESCHOOL - LIMITED SUPPLY

**Specs** See FAS Website catalogue:

[www.fasequipment.com/catalogue/seating/s5htm](http://www.fasequipment.com/catalogue/seating/s5htm)

**Considerations**

Supported floor sitting positioning for floor based activities for student with poor or no sitting balance, particularly children with very low or high tone.

Seat can easily be cleaned/wiped.

Tilt/recline allowed on base using sitter wedge for child who has poor or no head control

Transfers easier from this seat than floor for the more severely involved students.

Equipment should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using this equipment.

Transfers and positioning in this equipment should be as recommended in

Transfer and Positioning Care plan.

# Tilt in space posture chair

**Make** Disability Equipment Solutions

**Category**

Seating

**Model** CHR5 1, CHR5-P

**Desc** The standard features include: Seating capsule tilts from 0 degrees to 45 degrees; foot rest and head rest adjusts vertically; lateral supports adjust vertically and horizontally; Lap strap chest strap; tray and locking castors.



**Specs** CHR5 - I Infants  
CHR5-P PreSchool  
Also available in Primary School and Adolescent sizes.

See Disability Equipment Solutions website for specifications:

## **Considerations**

For student who has poor postural control.

Allows child to be seated with peers at table/desk.

The seating capsule of the system is continuously adjustable from 0-45 degrees of tilt and can be adjusted with the student positioned in the chair.

Castors allow the chair to be easily wheeled around the indoor school environment.

Dimensions of chair adjustable.

Postural supports available. If prescribing chest harness/strap, a pelvic strap must also be provided and information provided on the "Safe Use of Harnesses"

Adjustable angle tray brackets available to accommodate for tilt in space.

Equipment should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using this equipment.

Transfers and positioning in this equipment should be as recommended in

# Merius Club Recliner Chair

**Make** A1 Scooters and Wheelchairs

**Category**  
Seating

**Model**

**Desc** Recliner chair, variable tilt n space /recline/ and leg rest positions. All gas strut operation on a mobile castor base. 12" fixed front wheel base. designed for outdoor or indoor maneuvering. A hand brae is fitted, and a lever lock option which acts as a park brake.



**LIMITED SUPPLY. NEGOTIATED LOAN THROUGH SUBMISSION PROCESS ONLY. LONG TERM LOAN**

**Specs** Explorer outdoor base upgrade  
Headrest  
Seat lap belt, plastic snap closure  
Leg rest/ foot plate  
Meals tray

**Considerations**

## Corner Chairs

**Make** CAP SN 07 Corner Seat Adjustable height

**Category**  
Seating

**Model**

**Desc** This seat allows the height of the back head rest to be adjusted vertically. The adjustments can be made with the child in the seat . The pommel also is easily adjusted with a child in place.



**Specs** Seat width: 450mm  
Base Width: 700mm  
Base Depth: 500mm  
Pommel to seat back: Min 150mm Max 300mm  
Back height: Min 450mm Max 600mm Fixed Back 225mm

This seat has a low profile

**Considerations**

# Tripp Trapp Chair

**Make** Your Child's Nursery

**Category**  
Seating

## Model

**Desc** The Tripp Trapp is a fully adjustable children's chair. It has an adjustable seat plate and footrest in height and depth, and enables correct ergonomic sitting. Both seat plate and footrest can be adjusted in height and depth. It is suitable for children from age 6 months until their teenage years. The Tripp Trapp highchair meets and complies with all international safety standards. It is made from strong and resilient beechwood with a protective coating.



## Specs

### Considerations

This is suitable for a client requiring safe and secure seating with moderate support, that is able to be adjusted to their size and to varying table heights to allow interaction with peers and family members.

The chair comes with adjustability of the seat plate and footrests to enable correct ergonomic sitting. The Seat plate adjusts horizontally and vertically to match a child's size and the height and depth of the footplates is adjustable to ensure that the lower limbs are fully supported.

The Tripp Trapp chair would suit children as young as 6m old up to teenage years based on its highly adjustable nature.

The Tripp Trapp highchair made by Stokke is stated to meet and comply with international safety standards.

Accessories are available with the chair, including a baby seat (seating rail, crotch strap and baby back plate), harness and cushions.

It should be noted that \*\*if prescribing chest harness/strap, a pelvic strap must also be provided and information provided on the "Safe Use of Harnesses"

Equipment should be prescribed by a therapist to ensure suitability. In the initial stages set up by

# Gamma Chair

**Make** Jenx

**Category**  
Seating

**Model**

**Desc** The Gamma has a high-low base. The lowest seat height on size one allows Gamma to glide easily underneath a nursery table whilst rising to high chair height. Gamma can be used at any height between the minimum and maximum heights and adjustments are simple and quick. The seat can be horizontal, inclined or reclined, and can tilt-in-space. LIMITED SUPPLY 1 ONLY.



**Specs** Size 1: 1 - 5 years  
Size 2: 3 - 8 years  
Size 3: 5 - 10 years

**Considerations**

The Jenx Gamma seat is suited to those clients between the ages of 1 yr to 10 yr who need a supportive seating system to accommodate reduced postural control, and who need a tilt in space/recline option for pressure management +/- Peg feeding etc. The chair is available in three sizes, accommodating children to to 34kg. A mobile four castor base is standard which increases stability of base and promotes easy manoeuvrability. In addition a push handle is available to ensure moving the chair is easy for carers.

The height adjustable seating system allows the child to be at the same level as their peers or family members promoting interaction.

The features of the seat include tilt in space, anterior seat tilt and backrest recline, allowing for pressure management and different postural needs. In addition the chair has a wide range of adjustable postural supports, including height adjustable back support and seat depth, individually adjustable thoracic supports, adjustable headrest, hip pads, knee blocks, hip strap, lumbar support pad, harness\*\* and foot supports.

\*\*If prescribing chest harness/strap, a pelvic strap must also be provided and information provided on the "Safe Use of Harnesses"

# Spider Chair

**Make** Jenx

**Category**  
Seating

**Model** Size 2

**Desc** 1 small chair with pommel, 1 detachable tray and 1 alan key. LIMITED SUPPLY 1 ONLY.



**Specs** 1 detachable tray (230x330x350mm)

**Considerations**

# Commode Chair/ Shower Chair

**Make** K Care

**Category**

Toileting / Self Care

**Model**

**Desc** A stainless steel mobile, push /attendant propelled mobile shower chair with braking castors. It is available with either a moulded fibreglass or padded vinyl seat, either open or closed front. Three PVC straps form the backrest support with folding arm rest to enable side transfer. The chair is available with either a sliding foot rest or adjustable lift up and swing away removable foot plates.



**Specs** The Commode chair is available in junior and adult size. It is available with a wide range of options. See Independent Living Website ([www.ilc.asn.au/home.php](http://www.ilc.asn.au/home.php)) Catalogue or a Disability Equipment Supplier for further specifications.

**Considerations**

For children with good head control and trunk Support.

## Potty Chair

**Make** K Care

**Category**

Toileting / Self Care

**Model**

**Desc** A moulded plastic chair on epoxy coated mild steel frame. The chair does not fit over a standard toilet. SERU does not provide the potty.



**Specs** This potty chair is available in three sizes: Standard Adult (KA150A), Standard Junior (KA150J) and Standard Child (KA150C).

Options:

- Adjustable legs (for the Junior and child size)
- Braking castors
- Chest Strap
- Y Harness
- Adjustable folding footrest.

**Considerations**

Child needs to have relatively good head control. Consider need for pelvic and chest straps dependent on trunk control.

If prescribing chest strap, pelvic strap must also be provided.

# Toilet Arms (Octopus)

## Category

Toileting / Self Care

## Make

## Model

**Desc** A tubular, mild steel toilet support aid which fastens to the toilet. Two support bars fit under the seat. It has two arms with flip out front handle sections extend around the user.



**Specs** The toilet arms has a universal mounting which enables it to be fixed to the toilet seat mounting holes. The spring loaded push-button locks the folding arms in front of the user. The arms then provided both side and forward support, encircling the user as a curved armrest. The arms fold out side ways to transfer from the toilet.

## Considerations

For children who require support in getting on/off the toilet.

# Toilet Grab Rail System (Throne)

## Category

Toileting / Self Care

## Make

## Model

**Desc** A powder coated tubular steel toilet frame which attaches to the cistern in a fixed position. The frame provides curved grab rails on either side of the toilet bowl without any attachment to adjacent walls or the floor. The frame is powder coated. It screws onto the toilet seat at the rear of the toilet and to the outside of the bowl with rubber capped screws, which can be easily removed.



**Specs** Four Models Available:  
Standard - Upright rails that are close to the toilet seat.  
Splayed: Wider frame accommodates people with larger build.  
Sloped: Angled forward to suit taller users.  
Wrap Around: A semi-circular shaped rail that runs around the back of the seat, providing support from both sides and from behind.

## Considerations

For children who require support in getting on/off the toilet.

# Toilet High back Support

**Make** FAS Therapeutic Equipment Pty Ltd

**Category**  
Toileting / Self Care

**Model**

**Desc** The high back support fits any toilet. It is made of moulded plastic and steel. The base mounts onto the toilet using same bolts as those that hold the toilet seat.

It has an adjustable safety belt for pelvic and chest support.

The back of the toilet support can be lifted off the toilet when not in use.

In most cases the existing toilet seat can still be used.



**Specs** Available in three sizes:

Small (TTS4700)

Medium(TTS4800)

Large (TTS4900).

The height of the small and medium sizes is between 46 - 61 cm. and the large is between 56 and 78 cm.

**Considerations**

High back Support with Straps to assist children who need support in sitting to go to the toilet

## Adjustable Toilet Steps & Rails

**Make**

**Category**  
Toileting / Self Care

**Model**

**Desc** Standard toilet steps are available in 4 sizes. They are used to assist children/students in accessing toilet facilities. The toilet steps have a non slip surface. The rail height is adjustable, and rails are optional.



**Specs** **Size 1**  
Height Range 450 -620  
mm

Step height 100 mm

**Size 2**  
Height Range 500 - 670  
800mm

Step height 150 mm

**Size 3**  
Height Range 550 -720

Step Height 200 mm

**Size 4**  
Height Range 700 -

**Considerations**

Steps to assist children to climb on and off the toilet.

# Toilet support short back

**Make** FAS Therapeutic Equipment Pty Ltd

**Category**  
Toileting / Self Care

**Model**

**Desc** The short back support with straps is designed to assist children who need support in sitting to go to the toilet. It fits any toilet and offers secure trunk support with adjustable safety belt. The back of the toilet support can be lifted off the toilet when not in use.



The toilet support base mounts with the same bolts that hold toilet seat onto toilet bowl. In most cases, the existing toilet seat can still be used.

**Specs** Available in three sizes: Small (TTS4200), Medium (TTS4300), Large (TTS4400). The dimensions for the toilet support are:

	Inside width cm	height in cm
Small	22	18 - 38
Medium	30	18 - 41
Large	36	25 - 43

**Considerations**

High back support with straps to assist children who need in sitting to go to the toilet.

Can be mounted to any toilet using the same bolts which hold the toilet seat to the bowl.

# Shower Chair

**Category**

**Make** Flamingo

Toileting / Self Care Seating

**Model** Size 2

**Desc** The Flamingo is a toilet/bathing chair. It is available in 4 sizes and is suitable for children and youngsters. The seat can be tilted and the back can be angled. The Flamingo can therefore cover special needs for seating posture. The Flamingo is easy to clean and facilitates personal hygiene. It is adjustable in height and it can be placed over the toilet or can be used with a pan.



**Specs**

	<b>Size 2</b>	<b>cm (inch)</b>	<b>Size 2</b>
<b>cm (inch)</b>			
Shoulder Width (SHW)	32 (12½")		Seat Height (SH)
	50-60 (19½"-23½")		
Back Width (BW)	22 (5½")		Lower Leg Length (LUB)
	25-35 (9¾"-13½")		
Back Height (BH)	38 (14¾")		Max. load/user weight
	50 kg (110 lb)		
Seat Width (SW)	28 (11")		

**Considerations**

Flamingo shower/toilet chair can be used for toileting either in the pan or over a toilet.

It includes recline and tilt-in-space features.

The Flamingo needs to be prescribed by a therapist to ensure suitability and safety and that it is the correct fit.

It comes in 4 sizes and has many options available (various headrests, lateral supports, belts etc).

It may not be suitable for children with strong extensor tone due to the numerous moving parts.

# Toilet Seat Reducer Ring

**Category**

**Make**

Toileting/Self Care

**Model**

**Desc** The toilet seat reducer ring is made of vinyl covered neoprene waterproof foam and has a non slip padded seat.

The toilet seat reducer ring fits on to any toilet. It has a removable abductor/splash guard.



**Specs**

Available in two sizes:-  
 Infant: hole size - 15x13  
 Regular: hole size 20x18

**Considerations**

# Change table

## Category

Transferring and Standing Equipment  
Toileting / Self Care

## Make

## Model

**Desc** SERU provides mobile electric operated change tables in two sizes. Both have four swivel castors all with lock in brakes and a sturdy metal frame with a padded vinyl covered surface.

The electrically operated height adjustment is controlled via a foot plate.



## Specs

### Large Table

Width: 720 mm or 655mm

Length: 1830 mm

Height Range: 490 mm to 945 mm

### Small Table

Width: 655 mm or 720mm

Length: 1450 mm

Height Range: 490 mm to 945 mm

## Considerations

Height adjustable change tables can be used for changing, catheterisation and other self-care needs.

Side rails are available and recommended

Children should be supervised at all times

# Dynamic Standing Frame

## Category

Transferring and Standing Equipment

**Make** FAS ADF 9314 Dynamic Standing Frame

**Model** ADF 9314

**Desc** This standing frame is designed to provide balance and allow limited movement in all directions. It features an adjustable heel bar, a vertical adjustable knee support, a thoracic or pelvic padded strap and a non-slip rubber mat.



ONLY AVAILABLE FOR PRESCHOOL. LIMITED SUPPLY

**PLEASE NOTE:** TRAY IS UNAVAILABLE FOR THE SMALL AND MEDIUM DYNAMIC.

## Specs

The standing frame is available in small, medium and large.

Height adj. Small 45 -60 cm

## Considerations

Suitable for student who can weight bear reliably with support but cannot sustain standing posture unsupported. Student needs to have at least moderate trunk control and good head control.

Allows student to participate in standing activities with peers.

Equipment should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using this equipment.

Transfers and positioning in this equipment should be as recommended in

Transfer and Positioning Care plan.

# Hoist

## Category

### Make

Transferring and Standing Equipment

**Model** Wangara127 / 147

Toileting / Self Care

**Desc** Electric mobile hoist which can be used for transferring children from/to/on/off wheelchair, change table, floor etc. Foot pedal operated. A large range of slings can be used with the hoist.



**Specs** Lifting Capacity: 127 - up to 127 kg ; 147 - up to 147 kg.  
147kg:  
Lifting range of frame - 365-1610mm  
Height of base - 190mm  
Length of base - 1080mm  
Width of base (closed) - 470mm

### Considerations

Hoist and sling should be prescribed by a therapist to ensure suitability.  
Relevant staff should be trained by a therapist in using the hoist and sling.  
Hoist and sling should be used as recommended in transfer and Positioning Care Plan.

# Hoist

## Category

**Make** Swift/ Kerry Lifter

Transferring and Standing Equipment

### Model

Toileting / Self Care

**Desc** The Swift Kerry lifter is a mobile electric hoist. Controls are hand held with separate buttons for lowering and raising. The dual speed operating control allows for both raising and lowering of the hoist as well as the operation of the electric leg gating. This hoist is used to transfer persons from a seated or lying position or to and from the floor. Load capacity is 150kg.



**Specs** Overall length of base: 1100 mm  
Overall width of the base: 670 mm  
Internal width of base ( open): 885 mm Internal width of base (closed):510 mm  
Maximum height of spreader bar: 1700 mm Minimum height: 430 mm  
Maximum weight capacity: 150 kg.  
Lift speed per second (slow): 38 mm  
Lift speed per second ( fast:speed):58 mm

### Considerations

Electric mobile hoist which can be used for transferring children from/to/on/off wheelchair, change table, floor etc.  
Hoist and sling should be prescribed by a therapist to ensure suitability.  
Relevant staff should be trained by a therapist in using the hoist and sling.  
Hoist and sling should be used as recommended in transfer and Positioning Care Plan.

# Hoist

**Make**

**Category**

Transferring and Standing Equipment  
Toileting / Self Care

**Model** Ezi Lift Kerry

**Desc** The Ezi Lift is a mobile electric hoist which can transfer persons from both the lying and seated position.



**Specs**

Load capacity 150 kg:

Overall Length: 1235 mm

Overall width of base ( Closed 670 mm )

The internal width base is 510 mm closed and 1000 mm open.

The maximum height of the spreader bar is 1760 mm and the minimum is 430mm.

**Considerations**

Electric mobile hoist which can be used for transferring children from/to/on/off wheelchair, change table, floor etc.

Hoist and sling should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Slings

**Make** Europa

**Category**

Transferring and Standing Equipment  
Toileting / Self Care

**Model**

**Desc** The Europa sling is available in Mesh or Polyester.

It has divided padded legs and is available with or without head support.



**Specs**

Extra small, small, Junior, medium and large. Can be used with Wangara 127 and 147 hoist.

**Considerations**

Suitable sling needs to be prescribed by a therapist to ensure suitability and safety.

Staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Slings

## Category

Transferring and Standing Equipment  
Toileting / Self Care

## Make

Model Regent

**Desc** The Regent sling is available in mesh or polyester. It has divided padded legs.

It is available with or without head rest and in a range of sizes



**Specs** Sizes: Child small, Medium, large and special.

Models Toileting, commode, general purpose, general purpose with head support, half body and full body.

## Considerations

Suitable sling needs to be prescribed by a therapist to ensure suitability and safety.

Staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Slings

## Category

Transferring and Standing Equipment  
Toileting / Self Care

**Make** Promed general Purpose

## Model

**Desc** This sling is to be used with a pro- med hoist. It is a u shaped sling available with or without padded leg sections. Available with or without head support.



**Specs** The general purpose sling is available in a range of sizes from extra small to extra extra large. It is made out of either mesh or polyester.

## Considerations

Suitable sling needs to be prescribed by a therapist to ensure suitability and safety.

Staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Slings

## Category

Transferring and Standing Equipment

Toileting / Self Care

## Make

**Model** Toileting Sling

**Desc** The toileting sling is a u-shaped sling suitable for use with toileting (clothes can be pulled up and down whilst in the sling).

The sling has belt to be secured around trunk of child (below arms). The belt should include buckle (not just Velcro) for safety.



**Specs** The toileting sling comes in four sizes.

Extra small, Small, Medium, large.

the material used in the design of the sling ranges from Solid Nylon, Mesh or solid polyester.

The toileting sling is fully machine washable and has a maximum weight of 150 kg for Mesh and Solid polyester and 175 kg for Nylon

## Considerations

Suitable sling needs to be prescribed by a therapist to ensure suitability and safety.

Staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Standing Frame

**Make** DES SF6 Infant Supine Standing Frame

**Category**

Transferring and Standing Equipment

**Model** SF6

**Desc** This standing frame is designed to adjust to suit children with height of up to 110 cm. There is an adjusting scooped head support, 2 pairs of lateral supports fully padded, 2 strap sets with quick release buckles which can be located wherever needed. The knee / leg saddles and clamp bar are all adjustable. The main board is in 2 parts and can be adjusted to suit the child's height. The tilt angle can be locked in to place horizontally or vertically and there are four free-rotating lockable casters.



**Specs** Overall length: 80 cm to 110 cm.

(Heel to top of Head)

Weight limit: 28 kg

Width between lateral supports: 18 to 30 cm

Head support width: 14 to 30 cm

**PRESCHOOL ONLY: LIMITED SUPPLY**

## **Considerations**

For students who are unable to stand without support and who have very poor head and trunk control.

Allows student to participate in standing activities with peers.

Equipment should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using this equipment.

Transfers and positioning in this equipment should be as recommended in Transfer and Positioning Care plan.

# Standing Frame

## Category

Transferring and Standing Equipment

**Make** DES SF4 Supine Standing Frame

**Model** SF4

**Desc** This standing frame / tilt table adjust to suit children from 100 to 140 cm. The standard features for this standing frame are 2 pairs of lateral padded supports, head rest adjustable, 2 body straps with quick release buckle which can be positioned along the upholstered back rest, 4 large non marking castors with rear wheels being fully lockable.



**Specs** Overall Length: 100 to 140 cm.  
Weight limit: 65 kg  
Width between lateral supports 19 to 30 cm

**PRESCHOOL ONLY: LIMITED SUPPLY**

## Considerations

For students who are unable to stand without support and who have very poor head and trunk control.

Allows student to participate in standing activities with peers.

Equipment should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using this equipment.

Transfers and positioning in this equipment should be as recommended in

Transfer and Positioning Care plan.

# Standing Frame

**Make** DES SF2 Preschool Prone Standing Frame

## Category

Transferring and Standing Equipment

**Model** SF2

**Desc** The pre school prone standing frame is extremely robust construction with a stable base to suit active children. With lockable castors and axilla, hip and knee lateral supports.



PRESCHOOL ONLY: LIMITED SUPPLY

**Specs** Maximum weight 35 kg  
Heel to axilla 66 to 80 cm  
Heel to top of Breast plate 71.5 to 87 cm  
Width at axilla 18 to 28 cm  
Width at hip 20 to 32 cm  
Heel to hip 38 to 53 cm  
Heel to knee 23 to 32cm

## Considerations

For students who are unable to stand without support. Allows student to participate in standing activities with peers.  
Equipment should be prescribed by a therapist to ensure suitability.  
Relevant staff should be trained by a therapist in using this equipment.  
Transfers and positioning in this equipment should be as recommended in Transfer and Positioning Care plan.

# Toilet Transfer Bench

**Make**

## Category

Transferring and Standing Equipment

**Model**

Toileting / Self Care

**Desc** A vinyl covered transfer bench design to transfer child/adult from wheel chair to a toilet, bath or shower. Designed for wet areas.



**Specs**

The standard model has a non-slip plastic bench and back rest. The deluxe model has a padded seat with facility to fit over toilet, suction cups on feet and side rail.

Maximum user weight 112kg.

## Considerations

# Transfer Disc

## Category

Transferring and Standing Equipment

## Make

## Model

**Desc** The transfer disc is designed to enable persons to transfer from seated or standing position smoothly without shuffling from one position to another. It has a resilient non slip surface which allows for use either side up on all types of floors including wet areas.



**Specs** The transfer disc is 350 mm in diameter which will accommodate all sizes of clients. It is a light weight (1.6 kg) and can be used with or without shoes.

## Considerations

For students who are cooperative with transfer and can weight bear reliably and consistently, but have difficulty stepping.

Need to consider how disc is to travel with student to use in different situations.

Maybe used with transfer belt for improved support of student.

Equipment should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using this equipment.

Transfers with this equipment should be as recommended in Transfer and Positioning Care plan.

# Hoist

## Category

Transferring and Standing Equipment

**Make** Sonata

## Model

**Desc** A mobile, battery operated hoist which may be used to lift and transfer a person to and from a bed, chair or the floor. The padding on the spreader bar is removable. The standard spreader bar has two points of attachment for a sling. The U-shaped base has manual leg adjustment via a large lever with a contoured handle located at the rear of the hoist. The legs are adjustable to three set positions. Controls are handheld on an extendable



<b>Specs</b>	Minimum height of spreader bar	340mm
	Maximum height of spreader bar	1685mm
	External base width (closed)	605mm
	Internal width of base (closed)	530mm
	Internal width of base (open)	1010mm
	Base height (clearance required)	125mm
	Base length	1005mm
	Overall weight	39kg
	Load capacity	150kg

## Considerations

Electric mobile hoist which can be used for transferring children from/to/on/off wheelchair, change table, floor etc.

Hoist and sling should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Hoist

**Make** Oxford

**Category**

Transferring and Standing Equipment

**Model** Advance

**Desc** This hoist has a safe working load of 155 kg and is easily folded for transport or storage.

A wide range of lifting and transfer operations are easily achieved with this hoist even a lift from the floor.

The hoist has a "swan neck" style of expanding legs which allows easier lifting and transfer around large objects

All of the hoist's levers and control have been designed and sized to



<b>Specs</b>	<b>Oxford Advance</b>	<b>Portable Hoist</b>	<b>Assembled</b>
<b>dimensions</b>			
Min lift range		390mm	Max overall length
		1300 mm	
Max lift range		1690mm	Min overall
length		1250 mm	
Max leg clearance		115mm	Max overall height
1860mm			
Max lifting capacity		155kg	Min overall height

### **Considerations**

Electric mobile hoist which can be used for transferring children from/to/on/off wheelchair, change table, floor etc.

Hoist and sling should be prescribed by a therapist to ensure suitability.

Relevant staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Change table

## Category

Transferring and Standing Equipment  
Toileting / Self Care

## Make

Model 1200

**Desc** An electric height adjustable change table with three fold up sides to provide security. The metal tubing base has 100 mm castors on each corner to allow access for mobile hoists. Has two fold-down ends (providing an additional 200 mm of length at each end). The electrical actuator is operated by a pneumatic foot switch.



<b>Specs</b>	Load Capacity (supplier stated)	Unknown
	Length	1200 mm
	Height	From 550 mm to 1060 mm
	Width	600 mm

## Considerations

Height adjustable change tables can be used for changing, catheterisation and other self-care needs.

Side rails are available and recommended.

Children should be supervised at all times.

# Re-turn Transfer Platform

## Category

Transferring and Standing Equipment

## Make

Model

**Desc** This compact mobile platform provides active transfers to bed, chair or toilet. It has a secure return belt and works well in very tight areas. It has six wheels for manoeuvrability and a safe working load of 150kg.



## Specs

## Considerations

# Slings

**Make** Allegro

## Category

Transferring and Standing Equipment  
Toileting / Self Care

## Model

**Desc** Designed for users with some upper body control. It covers all sizes from extra small to extra extra large and is available in mesh or fabric.  
For Use With: Standard Spreader Bar And Four Point Yoke.

**Specs** X-Small  
Small  
Medium  
Large  
X-Large  
XX-Large  
Custom

The sling is also available with neck and head support.

## Considerations

Suitable sling needs to be prescribed by a therapist to ensure suitability and safety.

Staff should be trained by a therapist in using the hoist and sling.

Hoist and sling should be used as recommended in Transfer and Positioning Care Plan.

# Change table

**Make** Fortress

## Category

Transferring and Standing Equipment  
Toileting / Self Care

## Model

**Desc** Electric change table with side rails and horizontal side rails. Also included is padded top with vinyl cover . Includes all braking castors and foot operation control.



<b>Specs</b>	<b>Electric</b>	<b>Short</b>	<b>Standard Length</b>
Low		620mm	620mm
High		980mm	980mm
Length		1400mm	1880mm
Width		700mm	700mm
Lift Capacity		180kg	180kg

## Considerations

Height adjustable change tables can be used for changing, catheterisation and other self-care needs.

Side rails are available and recommended.

Children should be supervised at all times.